



CNT RECORDS

Community :	SEDRA	Project/Phase :	00103-Phase 3
From :	Branch of China Harbour Engineering Co Ltd.	To :	East Consulting Engineering Center
Type :	PLN-Plan	Sub Type :	HSE-Health and Safety
Stage Gate :	SG4	Scope :	CHE - PO-RRE-1642-Rough grading and infrastructure works for SEDRA Phases 3, 4 and 5-Branch of China Harbour Engineering Co Ltd.
Ref No. :	00103-CHE-PLN-HSE-000004	Record Date :	01-NOV-2023
Workflow Status :	Draft	Submitted Date :	
Revision	0		
Subject :	HEAT STRESS PLAN		

DOCUMENTS ATTACHED					
SR.#	ATTACHED BY	DOCUMENT NAME	DESCRIPTION	NOTES/REMARKS	In PMWeb Viewer

ENGINEER COMMENTS :

FINAL DOCUMENT STATUS :
<input type="checkbox"/> A - Approved <input type="checkbox"/> B - Approved as Noted <input type="checkbox"/> C - Revise & Resubmit <input type="checkbox"/> D - Rejected <input type="checkbox"/> E - Acknowledged

Stamp :		Stamp :	
Signature :		Signature :	
Submitted By:		Received By :	
Submission Date :		Date :	

Infrastructure Works for Riyadh SEDRA Project Phase-3

HEAT STRESS PLAN

00103-CHE-PLN-HSE-000004

REV. 00

June-19-2024






فرع شركة شاينا هاربور إنجنيرنج كمبني ليمتد
BRANCH OF CHINA HARBOUR ENGINEERING CO., LTD.
中国港湾工程有限责任公司沙特分公司

Document No.	Hot weather Condition Working Plan Phase 3.	Revision	00
	00103_CHE_PLN_HSE_000004		

Infrastructure Works for Riyadh SEDRA Project Phase-3

HEAT STRESS PLAN

00103-CHE-PLN-HSE-000004

00	19-June-2024	HSE M. Phase-3	HSE.M	HSE.D	Issued for Approval
		Talal Akram	He Haoxiang	Xia Nian yang	
					
REV	Date	Prepared By	Reviewed By	Approved By	Remarks



فرع شركة شايينا هاربور إنجنيرنج كمبني ليمتد
BRANCH OF CHINA HARBOUR ENGINEERING CO., LTD.
中国港湾工程有限责任公司沙特分公司

Table of Contents

1 INTRODUCTION	4
1.1 Purpose	4
1.2 Scope/ Applicability	4
2 DEFINITIONS	4
2.1 Terms and Definitions	4
Table 1: List of Terms and Definitions.....	4
2.2 Abbreviations	5
Table 2: List of Abbreviations.....	5
3 REFERENCES	6
3.1 ROSHN Documents	6
Table 3: List of Applicable ROSHN Documents	6
3.2 Other Documents.....	7
Table 4: List of Applicable National and International Standards and Regulations.....	7
4 ROLES AND RESPONSIBILITIES	7
4.1 Project Director	7
4.2 Health and Safety Manager	7
4.3 Construction Director.....	7
4.4 Construction/Site Managers	7
4.5 All Personnel	8
5 HOT WEATHER	8
5.1 Heat Stress Symptoms and Response.....	8
5.2 Working Hours	13
5.3 Workplace	13
5.4 General Preventive Measures.....	13
5.5 Acclimatization.....	15
5.5.1 New Employees.....	16
5.5.2 Current Employees.....	17
5.6 Heat Stress Index Monitoring	17
5.6.1 Flag System	17
5.6.2 Apparent Temperature	18
Table 4: Apparent Temperature Chart.....	18
5.7 Fluids Intake	18
5.8 Health Surveillance	19
5.9 Protective Clothing.....	19

5.10 Training and Awareness.....	19
5.10.1 Workers.....	20
5.10.2 Supervisors.....	20
5.10.3 Medical Staff and First Aiders.....	20
5.10.4 Heat Stress Campaigns.....	20
6 APPENDICES.....	21
Appendix A. Heat Stress Index Chart.....	22
Appendix B. KSA Government Guidelines.....	22
Appendix C. Awareness Posters.....	27

1 INTRODUCTION

1.1 Purpose

The purpose of this Plan is to establish safety and health requirements in order to prevent injury and Suffering from the effects of hot weather to any person in the Project, by implementing measures that reduce/eliminate the risk of hot weather.

1.2 Scope/ Applicability

This Plan is applicable for all Contractor and Subcontractors personnel involved in the project, as well visitors and other Stakeholders.

2 DEFINITIONS

For a comprehensive list of definitions for the terms and abbreviations used at ROSHN, see the List of Definitions and Abbreviations.

2.1 Terms and Definitions

Table 1: List of Terms and Definitions

Term	Definition
Project	Infrastructure works for Riyadh SEDRA Phase 3.
Client/Employer	ROSHN
Engineer/PMC	East Consulting Engineering Company
Principal Contractor	CHEC (China Harbour Engineering Company)

Accountable Person	An individual, who assumes responsibility for the health and welfare of any other person in a workplace by providing instruction, direction, assistance, advice or service, is deemed an accountable person. All management and supervisory staff are therefore considered “Accountable Persons”
Competent Person	One who has acquired knowledge and skills to correctly perform a specified task, through a combination of training, education, and experience.
Qualified Person	One who, by possession of a recognized degree, certificate, professional standing or by extensive knowledge, training, and experience, has successfully demonstrated ability to solve or resolve problems relating to the subject matter, the work, or the project.
Rated Capacity	The maximum mass (in kg or tons) which may be handled by a crane at a specific working radius (in meters) and a specific boom or jib length without the strength or stability requirements being exceeded. The rated capacity shall comprise the mass of the lifted load and lifting attachment and the mass of the hook block in use
Rigger	A certified worker who conducts rigging works
Rigging Works	Work involving the use of mechanical load shifting equipment and associated gear to move, place or secure a load including plant, equipment, or members of a structure to ensure the stability of those members. It also includes the setting up or dismantling of cranes or hoists, the application of slinging techniques, including the selection and inspection of lifting gear, safely slinging a load, and directing a plant operator in the movement of a load when the load is out of the operator’s view
Routine Lift	Lifts that will require the lift to be planned and conducted by a suitably qualified rigger but are not critical lifts. The lift must be planned and documented on a PTW identifying all lift planning requirements
Safe Working Load (SWL)	The maximum load that an item of lifting equipment may raise, lower or suspend under particular service conditions. It is the SWL that is marked on the item and that appears on any examination report or test records

2.2 Abbreviations

Table 2: List of Abbreviations

Term	Definition
ERT	Emergency Response Team
FAI	First Aid Injury
HIRARC	Hazard Identification, Risk Assessment and Risk Control

HSAS	Health and Safety Assurance Standards
HSP	Health and Safety Plan
JSA	Job Safety Analysis
KSA	Kingdom of Saudi Arabia
LTI	Lost Time Incident
LWDC	Lost Work Day Case
MTC	Medical Treatment Case
OSH	Occupational Safety and Health Discipline
OSHM	OSH Manager
OSHMS	Occupational Safety and Health Safety Management System
PMC	ECEC (the Engineer)
MEWP	Man Elevated Working Platform
PPE	Personal Protective Equipment
TWL	Thermal Work Limit
RAMS	Risk Assessment and Method Statement
Sub Con – S/C	Subcontractor
TBT	Toolbox Talk

3 REFERENCES

3.1 ROSHN Documents

Table 3: List of Applicable ROSHN Documents

Document no.	Document title
RRE-HC-HC1-A00-NSP-RRE-HSE-MAN-00001	HSSE Requirements for Contractors
RRE-HC-HC1-A00-NSP-RRE-HSE-PRO-00006	Hot & Cold Injuries

3.2 Other Documents

Table 4: List of Applicable National and International Standards and Regulations.

Document no.	Document title
Royal decree N051 of 2005	Labor Law Part 8 – Protection against Occupational Hazards
Decision No. 1982/2016	Labor Law implementing new regulations
Decision No. 3337:2014	Summer Working Hours
ISO 45001:2018	OHS Management Systems – Requirements

4 ROLES AND RESPONSIBILITIES

4.1 Project Director

- Overall responsibility for the implementation of this Plan;
- Determination, approval and availability of the budget including provision of all necessary Resources required for the implementation.

4.2 Health and Safety Manager

- Review all sites and potential Hot weather hazards associated with activities and worksites, to support and facilitate the risk assessment process and control programs;
- Ensure the hazards and related mitigation are communicated to all employees;
- Ensure monitoring of weather conditions and communicate findings to all personnel;
- Ensure adequate medical treatment is available in case of medical emergencies.

4.3 Construction Director

- Overall accountability to ensure that the work activities comply with the requirements of the local legislation (i.e. “mid-day ban”) and those set forth in this Plan;
- Support Construction teams in the implementation of the requirements of the Plan.

4.4 Construction/Site Managers

- Implementation of this Plan and provide all necessary requirements to the workers;
- Ensure that all personnel, including those of subcontractors under their control are not working in conditions that are likely to expose them to Hot weather;
- Ensure rest breaks are granted to employees when weather and work conditions require so;
- Ensure adequate shaded rest shelters are available for employees;
- Ensure adequate cool drinking water is available at each workplace;
- Monitor their workforce during periods of high temperature for signs of heat-related symptoms and take immediate action when necessary;
- Never require/allow an employee who is physically unfit to work in a hot environment;

- Plan work schedules to help employees to adapt to the heat for better acclimatization;

4.5 All Personnel

- Attend required training and awareness programs;
- Follow all the instructions and requirements they are made aware of.

5 HOT WEATHER

Summer months can reach temperatures over 50oC together with high levels of humidity, endangering those exposed. Some of the many factors that affect body temperature and expose to heat stress-related illnesses are listed below:

- Lack of proper fluid replacement;
- Extreme air temperature;
- Lack of air movement – oven effect;
- Reflected heat or sunrays;
- Being under the direct sunlight;
- Convection of heat through walls or steel;
- Prolonged or strenuous activities;
- High humidity;
- Medications, diet, excess salt intake;
- Physical fitness (lack of, weight, acclimatization);
- Excessive or layered clothing.

The exposure to (extremely) hot weather may lead to heat stress and related illnesses, which include:

- Heat Stroke/Sunstroke;
- Heat Exhaustion;
- Heat Syncope;
- Heat Cramps;
- Heat Rash (Prickly Heat);
- Dehydration.

Some of the above are conditions which are extremely dangerous and may lead to fatal consequences or permanent conditions affecting the person. Therefore, symptoms and related response measures for each conditions shall be taken into careful consideration and personnel made aware accordingly.


The next sub-paragraphs highlight for each of this conditions:

- Causes;
- Symptoms;
- First aid measures;
- Prevention measures.

5.1 Heat Stress Symptoms and Response

The next tables show the measures to be undertaken under different scenario related to heat stress related illnesses and malaises.

HEAT STROKE (SUNSTROKE)	
CAUSE: Partial to complete failure of sweating mechanism, body is unable to cool down.	
SYMPTOMS:	
1.	Hot, dry skin (no sweating)
2.	Confusion or Dizziness
3.	Chills or Convulsions
4.	High body temperature greater than 40 degrees Celsius
5.	Throbbing Headache
6.	Slurred Speech
FIRST AID: MEDICAL EMERGENCY!	
Take the following steps to treat a worker with heat stroke:	
1.	Call on site emergency number and notify Site Nurse, OSH Officer and Supervisor and for immediate medical transport to nearest hospital or medical centre.
2.	Move the employee to the cool shaded area; start the cooling immediately.
3.	Cool the worker using the methods such as:
a)	Soaking their clothes with water.
b)	Spraying, sponging, or showering them with water.
c)	Fanning their body;
d)	Applied cold compress on the heat pressure point of the body.
PREVENTION:	
1.	Acclimatization.
2.	Close Monitoring for signs of heat illness.
3.	Medical Screening.
4.	Increase water intake.



HEAT EXHAUSTION

CAUSE: Dehydration (excessive loss of water and salt) causes blood volume to decrease

SYMPTOMS:

1. Diaphoresis or excessive sweating
2. Fatigue and weakness
3. Confusion and Dizziness
4. Nausea and Headache
5. Clammy and moist skin
6. Pale and flushed complexion
7. Slight elevated body temperature
8. Fast and shallow breathing.
9. Rapid Pulse
10. Faintness

FIRST AID:

Treat a worker suffering from heat exhaustion with the following:

1. Have them rest in a cool, shaded or air-conditioned area.
2. If conscious, give them plenty of water or other cool non-caffeinated beverages.
3. Render cool sponge bath.
4. Have them rest.

PREVENTION:

1. Acclimatization
2. Increase water intake.

HEAT SYNCOPE

CAUSE: also known as fainting episode or dizziness resulted from dehydration. It usually occurred in prolonged standing or sudden rising from a sitting or lying position. Dehydration causes the

blood volume to decrease. Blood pools in dilated blood vessels of the skin and lower body, making less blood available to the brain.

SYMPTOMS:

1. Fainting while standing
2. Dizziness
3. Light-headedness

FIRST AID:

Workers with heat syncope must:

1. Sit or lie down in a cool place when they begin to feel symptoms.
2. Slowly drink water, clear juice, and avoid caffeinated beverages.
3. Notify the Chief Medical Officer, Site Nurse, Safety Officer, and Supervisor and for immediate medical transport to the nearest hospital or medical centre.

PREVENTION:

1. Acclimatization.
2. Drink plenty of water
3. Avoid standing in one place and intermittent activity to avoid blood pooling.

HEAT CRAMPS

CAUSE: It is due to a loss of sodium (salt) from sweating. Dehydration is a factor.

SYMPTOMS: Muscle Pain or Spasms usually in the abdomen, arms and legs

FIRST AID:

Workers with heat cramps must:

1. Stop all activity and sit in a cool place.
2. Drink clear juice and avoid caffeinated beverages.
3. Do not return to strenuous work for a few hours after the cramps subside because further exertion may lead to heat exhaustion or heat stroke.
4. Seek medical attention if any of the following apply:
 - a) The worker has cardiovascular (heart) problem.
 - b) The worker is instructed on a low sodium diet.
 - c) The cramps do not subside within one hour.

<p>PREVENTION:</p> <ol style="list-style-type: none"> 1. Drink plenty of water. 2. Take adequate salt every meal.
<p>HEAT RASH (PRICKLY HEAT)</p>
<p>CAUSE: Skin is constantly wet from sweat. Sweat Glands ducts become plugged leading to inflammation.</p>
<p>SYMPTOMS:</p> <ol style="list-style-type: none"> 1. Red cluster of small blisters more likely in the neck, upper chest, and groin. 2. Itchy and discomfort
<p>FIRST AID:</p> <ol style="list-style-type: none"> 1. Try work in a cooler, lee humid environment when possible. 2. Keep the affected the skin clean and dry.
<p>PREVENTION:</p> <ol style="list-style-type: none"> 1. Take a bath after work. 2. Keep the skin clean and dry.

<p>DEHYDRATION</p>
<p>CAUSE: Occurs when loss of body fluids, mostly water, exceeds the amount taken in.</p>
<p>SYMPTOMS:</p> <ol style="list-style-type: none"> 1. Extreme Thirst 2. Dry mouth and swollen tongue 3. Weakness 4. Dizziness 5. Palpitation 6. Decrease Urine Output 7. Confusion 8. Slow Skin Turgor
<p>FIRST AID:</p>

1. If conscious, give plenty of water to drink.
2. Give them an Oral Rehydrating Solution (O.R.S).
 - a) 6 teaspoons of sugar
 - b) ½ teaspoon of salt
 - c) Mix and stir to a 1 liter of drinking water.
3. Give comfort measures

PREVENTION:

Instructed and encouraged the employees to drink water prior to work, and avoid drinking caffeinated beverages to avoid excretion of water in their body.

5.2 Working Hours

Working directly in the sun between 12:00pm and 03:00pm from 15 June to 15 September is strictly prohibited, in accordance with KSA Governmental Regulations. This includes also areas (enclosed equipment and facilities included) under sunlight not provided with A/C to cool down the environment. CHEC will adjust its work schedule accordingly.

5.3 Workplace

All works location will be equipped with the following facilities:

- Cool water supply;
- First Aid Box;
- Rest Shelter.

The number of persons using the rest shelter at any one time will be determined by the calculation of 1.3m² per person. Seating must be provided for employees making use of the rest shelter. The rest shelter must have sufficient ventilation, including mechanical (i.e. desert fans) whenever practicable.

5.4 General Preventive Measures

Proactive measures shall address and prevent heat stress before it ever becomes a problem. Anticipate high heat days through weather forecasts and prepare proactively.

The following are a few recommendations to aid in the prevention of heat related problems:

- Provide/take rest breaks depending upon conditions such as air temperature, sun exposure, radiating heat exposure and hard physical work;
- Plan schedules to allow acclimatization of employees, in accordance with TWL Chart;
- Never require/allow an employee who is physically unfit to work in hot environment;

- Ensure adequate cool drinking water is available at each workplace. Sweet drinks such as canned soft drink should not be provided as these increase fluid losses;
- Re-hydrants (ORS) shall be readily available to all site workers;
- Encourage workers to drink water frequently as most persons may not feel how urgently their bodies need water;
- Ensure adequate medical treatment is available in case of medical emergencies due to heat stress. Supervisors must look for early signs of heat stress, relieve workers and ensure appropriate treatment is provided;
- The interior of a vehicle may not be used to provide shade unless the vehicle is air-conditioned, and the air-conditioner is adequately operating. Vehicles without operating A/C must be taken out of service until A/C is properly functioning;
- Alcohol consumption is strictly prohibited on site;
- Promote increase in sleeping hours for workers. Those who suffer sleep deprivation (full or partial) are less tolerant in hot environments due to reduced sweat rate, increased ratings of exertion and increased core temperature. Consequently, sleep deprivation has been discussed as a predisposing factor for heat-related illness;
- Workers will be encouraged to maintain a healthy diet, with emphasis on the consumption of vegetables and fruits. Workers staying at Company-managed Labor Camp(s) will be provided higher fruit intake with every meal;
- Rest breaks are used to reduce the metabolic heat produced by the body during heat and cooling aid. The work/rest cycle shall be in accordance with the heat index chart and flag system. Rest breaks ideally should be taken in a cool place;
- Air conditioning is a method of air cooling which uses a compressed refrigerant under pressure to remove the heat from the air. Provide recovery areas such as air-conditioned enclosures and rooms and provide intermittent rest periods with water breaks. Designated cold areas shall be provided with sitting arrangements for workers. Cooled area shall:
 - Have sufficient number of tables and seats for the number of workers likely to use them at once;
 - Have sufficient ventilation;
 - Be kept clean and tidy;
 - Not be used to store plant, equipment or materials;
 - Have sufficient drinking water always available, clearly identified, and easy to get; - Personal (water flasks) or group (disposable cups) provided.
- Portable fans shall be provided to maintain general ventilation, increase heat exchange and rate of evaporation. Misting fans that produce a spray of fine water droplets shall be installed at different locations around the site;
- Workers shall be provided with heat protective clothing and equipment, loose lightweight clothing which encourages heat to be released, while covering most areas of the body to limit sun exposure;

- In night shift workers are not exposed to radiant heat but usually the environment is comparatively more humid than daytime. Supervisor will closely monitor the environment and the workers and ensure the implementation of corrective actions;
- While working in a hot environment workers can produce as much as 2-3 gallons of sweat. Therefore, replacement of these fluids should be equal to the amount of sweat produced. Each worker will be provided with portable water bottles to encourage them to drink small amounts frequently (i.e. one cup every 20 minutes).

5.5 Acclimatization

Employees who perform moderate work regularly in hot environments can develop a certain degree of tolerance for heat, which is called acclimatization. Site personnel need time for their body to adjust to work in heat. This “acclimatization” is particularly important for workers being absent from work (i.e. due to illness), new employees or those coming back from rotation (i.e. cool to hot climate) and in general those performing heavy duty.

In line with Employer’s requirements, acclimatization program for new employees, employees that have been on vacation, and employees that are moving from a worksite that has climate control to a worksite that has high temperatures shall account for an allowance of 5-7 days for acclimatization before starting hard work in a hot environment. The TWL chart provided below can be used as a guide to determine the acclimatization and other arrangements.

TWL (W.m ⁻²)	Working zone	Interventions
> 220	Unrestricted	No limits on self-paced work for trained, hydrated workers
140-220	Acclimatisation	No restriction for acclimatised workers Workers with uncertain acclimatisation status should not work alone in this zone <ul style="list-style-type: none"> • Be aware of increased risk of heat illness • Dehydration test for first two shifts back from leave
115-140	Buffer	Buffer zone exists to identify situations in which environmental conditions may be limiting to work. <ul style="list-style-type: none"> • Any practicable intervention to reduce heat stress should be implemented e.g. provide shade, improve ventilation, etc. • Working alone to be avoided if possible • Unacclimatised* workers not to work in this zone • Use the technical information sheets 'Work-rest cycling - sample schedules' and 'Fluid requirements for working in heat' to prescribe maximum exposure time, work/rest cycling and fluid intakes appropriate for type of work and conditions
< 115	Withdrawal	Work limited to essential maintenance or rescue operations <ul style="list-style-type: none"> • No person to work alone • No unacclimatised* person to work • Documentation required authorising work in hostile thermal conditions for specific purpose • Specific induction required emphasising hydration and identifying signs of heat strain • Apply 20 minutes work - 40 minutes rest schedule • Required fluid intake exceeds 600 mL per 30 minutes • Personal water bottle (2 litre capacity) must be on the job at all times • Mandatory dehydration testing at end of shift

* Note: unacclimatized workers are defined as new workers or those who have been off work for more than 14 days due to illness or leave (outside the tropics)

5.5.1 New Employees

The first step in managing heat stress is to determine if the new employee is used to working in the heat. A person who is not used to working in high heat conditions cannot be expected to perform, as an acclimatize employee would be able to perform.

The new employee will be introduced to the new environment carefully. The tasks assigned will consider the persons abilities, strength, and acclimatization. Prolonged strenuous activity or exposure to extreme heat will be limited by rotating employees until all are accustomed to the new environment. A normal acclimatization process takes 2-3 weeks to complete before the employee is comfortable working in high heat environments.

Health and physical assessment programs will be conducted to the employees to ensure they are fit for the work in hot weather. If any employee will be identified with heat illness, the nurse will take necessary action to prevent further deterioration. Tracking register will be maintained by the nurse to track the employees those required re-surveillance.

The Supervisors are the essential persons to provide an acceptable acclimatization period with appropriate tasks to ensure the safety of the new employees. Several factors will give a Supervisor clues as to whether a new employee will acclimatize quickly or not:

Physical Fitness: a fit person will generally have a higher tolerance and acclimatize sooner;

Previous Experience: someone who has worked in a high heat environment either will be acclimatized or will have a better knowledge of how to acclimatize him;

Fluid Intake/Breaks: a person who works steady with regular breaks will acclimatize quicker than someone who will takes sporadic and more frequent breaks;

Attitude: a new employee who is eager and not worried about working in the heat will acclimatize more quickly than someone who is anxious when working in hot environments. Care will be taken with employees because they may push himself too much and too quickly

5.5.2 Current Employees

This group is generally more susceptible to heat stress than some of the new employees. These employees are already acclimatized and feel that they are able to “handle the heat” or they are introduced to heat for the first time of the season and feel that they are fine when, in fact, they are not.

Most feel that they can do more than they really are able to do, or are trying to complete a task before taking their break. Sometimes the experienced employee is trying to show the new employee “how to do it” and is caught doing more than he should.

Awareness and education is the tool to keep the current employee out of trouble.

5.6 Heat Stress Index Monitoring

OSH Team Member will utilize a calibrated digital monitoring device that gives a direct readout of the Temperature, Humidity, and the Heat Stress Index. Readings will be taken hourly and recorded on the pro-forma sheet.

Readings will be taken at representative locations at the site where differing work activities, work groups or specific location may provide different readings (i.e. there may be a humidity differential between the surface and inside the buildings).

Site Supervisors will monitor (visual, verbal) the physical and mental health of their Team. They shall furthermore ensure no lone working is assigned during heat period. Additionally, the workforce will self-monitor themselves and their colleagues (buddy system) and report any potential issues to the Site Supervisor, OSH Team or First Aider.

Medical Staff will determine if specific or extra monitoring of employees (i.e. blood pressure, heart rate, oral temperature, body water loss, etc.) is necessary and will implement it.

5.6.1 Flag System

A system of Heat Stress Index Warning Flags will be utilized to give a visual indication on the Heat Stress Index range and associated relative risk:

- **Red Flag** – All works are to be stopped once the heat index reaches 54 or higher (Heat stroke / sun stroke highly likely with continued exposure). Under such conditions all works, with the exception of any Emergency Response activities are to cease until such

circumstances drop to a Heat Stress Index below 54. Any Emergency Situation works will require to be discussed.

- **Orange Flag** – Raised where Heat Stress Index is in range 41-53. An Orange flag situation indicates a state of “works may proceed but with caution” (Sun stroke, heat cramps or heat exhaustion likely, and heat stroke possible with prolonged exposure and/ or physical activity). Appropriate control measure will need to be applied with a proactive watching brief not only on potential escalating Heat Stress Index values but also on increased surveillance of workers displaying potential heat stress illness traits.
- **Yellow Flag** – Raised where Heat Stress Index is in range 33 - 40. Yellow flag situation indicates a state of “works may proceed but with caution” (Sun stroke, heat cramps and heat exhaustion possible with prolonged exposure and/ or physical activity). Appropriate control measures will need to be applied with a proactive watching brief not only on potential escalating Heat Stress Index values but also on increased surveillance of workers displaying potential heat stress illness traits.
- **Green Flag** – Raised where Heat Stress Index is in range 24-32. A green flag situation does not indicate a “safe” (Fatigue possible with prolonged exposure and/ or physical activity) thermal environment however it does indicate that the associated risk conditions can be considered acceptable but should continue to be monitored to ensure they do not escalate.

Associated flag poles shall be high enough that they can be seen above surrounding structures and shall be posted at multiple locations to ensure visibility from all locales. Signs/posters will be posted around the sites as a reminder of what the flag status means.

5.6.2 Apparent Temperature

The apparent temperature is the combined index of heat and humidity, or what it really feels like to the body. Using the apparent temperature as a guide, prevention measures are enacted when specified apparent temperatures are reached, through three different stages.

Table 4: Apparent Temperature Chart

Actions	32° - 35°C Level One	36° - 40°C Level Two	41° - 46°C Level Three
Water Intake	1-2 cups each 20-30 min	2-4 cups each 15-25 min	4-6 cups each 15-20 min
Breaks frequent	1-2 min. water, plus 15-20 min Cool breaks, down shade/Fan.	1-2 min. water, plus 15-20 min Cool breaks, down shade/Fan.	1-2 min. water, plus 15-20 min Cool breaks, down shade/Fan.
Fluid Supplies	Begin to provide electrolyte solution	Provide electrolyte solution and more than adequate supply of water	Provide more adequate water and electrolyte. Encourage frequent breaks

5.7 Fluids Intake

High apparent temperatures can cause the body to lose large amounts of fluid through sweating. This fluid loss will be replaced to maintain normal bodily functions. Electrolyte solutions are beneficial in the fight against heat stress. However, water remains the essential ingredient and the worker should never drink more electrolytes than water. A good rule of thumb is to drink 2-3 glasses of water to one glass of electrolyte solution. To replenish lost electrolytes, workers will be provided with electrolyte packets every day and they shall be advised on the correct intake.

Record shall be maintained for packets provided to the workers. The distribution shall be controlled with a combined effort from the site First Aid Station and OSH Officers. The amounts depend on the number of gang members and their type of work.

ORS must be taken, during extreme heat and humidity conditions, as follows:

- Temperatures 40°C-46°C and humidity 65%-84%: 200 ml twice per shift (at beginning of shift i.e. 9H00 for day shift – within 2 – 3 hours after start of shift and then after the midday break);
- Temperatures > 46°C and humidity >84% - 300 ml, twice per shift (at the beginning of the shift i.e., 9H00 for day shift – within 2 – 3 hours after start of shift and then after midday break);
- Re-hydrant is to be administered during day and night shift operations;
- The use of Re-hydrant DOES NOT substitute for the intake of water and thus water consumption shall continue as normal throughout the shift. (Every 45min – 1 hour);
- Electrolytes distribution shall include also Subcontractors' employees. Either their Companies will distribute the electrolytes to them and shall provide a daily report to CHEC for auditing purposes, otherwise CHEC will distribute the re-hydrants to them;
- The Supervisor/Foreman must include in their daily activity briefing and TBT discussions the safe use and disciplined use of re-hydrant.

5.8 Health Surveillance

Pre-existing conditions such as hypertension, physical fitness, heart diseases, diabetes or any other health condition may affect the heat sensitivity shall be considered when assigning the employees to heavy duties in hot environment. HR shall inform Construction Managers and OSH Manager of persons at-risk according to results of pre-employment and periodical fit-to-work medical visits, in order to know personnel needed for re-assignment. In addition, the aforementioned factors shall be considered during treatment if a person suffered heat exhaustion.

5.9 Protective Clothing

Workers shall be provided with heat protective clothing and equipment, loose lightweight clothing which encourages heat to be released and covers most areas of the body and limits sun exposure and the contractor will provide shaded shelters for all workers on the site.

5.10 Training and Awareness

5.10.1 Workers

The prevention of heat stress and heat-related illness begins with educating supervisors and employees on the risk of working in hot environments. Heat illness prevention training will be given to all workers including information on symptoms and site arrangements for risk control. Heat stress training shall aim to increase employee's recognition of the safety and health hazards of working in high heat, factors that increase the risk of heat-related illness; signs and symptoms of heat illness, and first aid and preventive measures that decrease the risk of heat-related illness. Site Managers / Supervisors shall ensure employees who may be exposed to hot environments are trained in this procedure prior to work. Safety poster to be fixed on rest areas, mess hall etc. Urine colour chart for self-monitoring should be placed on toilets. Safety talks should be conducted to operatives every season as a refresher session.

5.10.2 Supervisors

Supervisors shall be provided with training highlighting their role and responsibility in handling the heat stress. Supervisor shall ensure that the Heat stress start card is completed before commencing any activity. They shall be able to access activities having heat stress potential due to the physical demand or the ambient environment conditions. After evaluating the risk, he shall be able to implement control measures such as job rotation, enough rest breaks. Supervisor awareness training shall address: Their role and responsibility;

- Heat index;
- Work/ Rest Cycle;
- Scheduling breaks strategy;
- Providing enough shade and water;
- Monitoring workers for signs and symptoms of heat illness;
- Emergency procedure.

5.10.3 Medical Staff and First Aiders

Awareness training will be provided to first aiders and nurses to prepare them for expected emergencies and Specific First Aid/Medical Equipment for Heat related illness.

5.10.4 Heat Stress Campaigns

CHEC will conduct Heat illness related campaign to keep workers safe and what workers need to know – including factors for heat illness, adapting to working in indoor and outdoor heat, protecting- workers, recognizing symptoms, and first aid training.

A heat stress campaign shall be properly planned and designed with the objective of improving the employees' perception and safety culture.

Hazard based campaign shall include but not limited to:

- Place posters in workplaces to raise awareness of safety;
- Update work health and safety procedures;
- Provide refresher safety training;
- Conduct demonstration;



- Emergency mock drills.

6 APPENDICES

Appendix A. Heat Stress Index Chart

Appendix B. KSA Government Guidelines


Appendix C. Awareness Posters

Appendix A. Heat Stress Index Chart

Heat Index Chart															
Temperature (°C) vs Relative Humidity															
	10%	15%	20%	25%	30%	35%	40%	45%	50%	55%	60%	65%	70%	75%	80%
48°	48	49	55	57											
47°	47	47	51	55	59										
46°	44	46	49	53	57	62	59								
43°	40	42	44	47	50	54	58	62	66						
40°	38	39	40	43	45	48	50	54	57	61	65				
38°	35	36	37	38	40	42	43	46	49	52	56	58	62	64	
35°	32	33	34	36	36	37	38	40	42	43	46	48	51	54	58
32°	29	30	31	32	32	33	34	35	36	37	38	39	41	43	45
29°	27	27	28	29	29	29	30	30	31	32	32	33	34	35	36
27°	24	24	25	25	26	26	26	27	27	27	28	28	29	30	30

Humidex Value	Heat Syndrome	Rest Period (Every Hour)
54 or higher	Heat stroke / sun stroke highly likely with continued exposure.	Stop all work
41- 53	Sun stroke, heat cramps or heat exhaustion likely, and heat stroke possible with prolonged exposure and/ or physical activity	15min / Hour
33- 40	Sun stroke, heat cramps and heat exhaustion possible with prolonged exposure and/ or physical activity.	10min / Hour
24- 32	Fatigue possible with prolonged exposure and/ or physical activity.	If Required

Appendix B. KSA Government Guidelines



Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

1- Introduction

The Ministry of Human Resources and Social Development has prepared the Manual for the prevention of the effects of exposure to working in hot places, which has relied on a number of relevant international technical and standard references and specifications as inputs and sources of information.

Since the negative effects and special occupational diseases resulting from the direct exposure to sunlight and heat stress in the workplace with long and frequent exposure, work was carried out on developing controls and instructions for preserving the safety and health of workers in the workplace.

2- Scope

This Manual is about the occupational safety and health requirements related to work in the hot environments by clarifying roles, responsibilities and preventive procedures from risks and impacts, through providing the mentoring and education programs, as well as the need to provide preventive occupational safety and health requirements in all workplaces, and responding to emergencies from exposure to work risks in hot places.

2

Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

3- Terms and Definitions

3.1- Sunstroke (Heat stroke):

A person is exposed to sunstrokes, as a result of prolonged exposure to hot and humid weather, with the body's inability to dispose of liquids by sweat.

3.2- Heat Stress:

A person develops a heat stress as a result of exposure to hot and humid weather, leading to the loss of many fluids from the body through profuse sweats such as occurs with Hajj and Umrah performers, as well as during running in very hot weather.

3.3- Heat Rash:

Skin irritation resulting from the extreme sweating during summer and heat, and the heat rash occurs when skin glands are blocked and sweat is retained under the skin.

3.4- Heat Cramps:

Involuntary muscle cramps that affect the human body and is very painful, usually occur when a person is sweating and doing hard work, such as long work, excess movement, physical exercise, and brisk walking.

3.5- Heat Syncope:

A case of sudden syncope that affects a person when standing for long hours and sitting suddenly, as a result of an aneurysm in the body.

3

4- Roles and Responsibilities

4.1- Employer:

One of the most important responsibilities of the employer is to provide resources to ensure achieving the following:

4.1.1:

Providing training, counselling and education for all management levels, and workers exposed to working in hot places with symptoms related to the heat exposure such as: Heat stroke, dehydration and other, as well as prevention methods.

4.1.2:

Providing personal protective equipment for workers such as: Head protective cap.

4.1.3:

Providing a trained person to observe and respond to situations resulting from high temperatures during work.

4.1.4:

Providing a device for temperature and relative humidity to measure degrees at variable intervals during work (See appendix 5.1).

4.1.5:

Providing fluids to workers, the most important of which is cold potable water.

4.1.6:

Scheduling in the coldest times of the day.

4

Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

- 4.1.7:**
Taking all precautions, engineering designs, control and engineering implementation that allow heat reduction.
- 4.1.8:**
Conducting an evaluation of work risk in hot work places to identify persons with possible exposure to it and identify preventive measures.
- 4.1.9:**
Ensuring the application of the Ministry of Human Resources and Social Development's Regulations on suspending work in the afternoon of the summer months mentioned in the Regulations.
- 4.1.10:**
Ensuring that workers exposed to the risks of working in hot places are given adequate breaks.
- 4.1.11:**
Ensuring the adaptation process for experienced or new workers to work in hot weather (See appendix 5.2).
- 4.1.12:**
Ensuring that all workers exposed to the risks of working in hot places are examined and medically fit.
- 4.1.13:**
Providing a dedicated, suitable and prepared place to spend breaks for workers.
- 4.1.14:**
Providing a bright colors uniform for workers, preferably of light, loose cotton.

5

Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

- 4.3.2:**
Drinking cold water and liquids continuously.
- 4.3.3:**
Reducing the drinking of fluids containing caffeine or excessive amounts of sugar.
- 4.3.4:**
Taking breaks at designated places of breaks.
- 4.3.5:**
4.3.5 Ensuring to obtain enough sleep at night.
- 4.3.6:**
Informing the supervisor or safety officer in case of stress or fatigue symptoms.
- 4.4- Most prominent factors controlling the risk of working under sunshine or hot places:**
- 4.4.1:**
Temperature and humidity.
- 4.4.2:**
Time period of exposure.
- 4.4.3:**
Activity nature (Exerted effort in work).
- 4.4.4:**
Workplace (Open, closed, ventilated or blocked place).
- 4.4.5:**
Worker sex and age.
- 4.4.6:**
Worker health condition.

7

Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

- 4.2- Safety Officer/Worker Supervisor:**
One of the most important responsibilities of the employer is to provide resources to ensure achieving the following:
- 4.2.1:**
Providing a brief explanation of the work and the resulting risks to workers prior to commencing the work.
- 4.2.2:**
Following-up on workers and ensuring that they wear the appropriate personal protective equipment during work.
- 4.2.3:**
Filling in the worksite check form before commencing the work (See appendix 5.3).
- 4.2.4:**
Ensuring that atmospheric temperature and relative humidity are appropriate as per the heat index before doing work (See appendix 5.1).
- 4.2.5:**
Ensuring that fluids, especially water, are available in the workplace.
- 4.2.6:**
Observing the physical condition of workers.
- 4.3- Workers:**
One of the most important responsibilities of the workers is to ensure achieving the following:
- 4.3.1:**
Ensuring that they wear light-colored, loose clothes, like cotton clothes.

6

Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

- 4.5- Sunstroke symptoms:**
- 4.5.1:**
Headache, dizziness and fatigue.
- 4.5.2:**
Different levels of consciousness.
- 4.5.3:**
Skin: Dry and hot (may be wet in some conditions)
- 4.5.4:**
Pulse: Quick and weak.
- 4.5.5:**
Muscle cramps.
- 4.5.6:**
Dilated pupils.
- 4.6- First aid procedures in case of exposure to the sunstroke:**
- 4.6.1:**
Transferring the infected person to a cold place and removal their external clothes.
- 4.6.2:**
Wrapping the infected person in wet coverlet every 10 minutes until their temperature decreased.
- 4.6.3:**
Placing the infected person in an air current (Fan or air conditioner).
- 4.6.4:**
Spraying the infected person body with the cold water if the coverlet is not available.
- 4.6.5:**
Contacting the emergency number in the workplace or contacting 997 (Red Crescent Operations)

8

Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

4.7- Heat stroke symptoms:

- 4.7.1: Headache, dizziness and fatigue.
- 4.7.2: Nausea and vomiting.
- 4.7.3: Skin: Wet, sweaty, and pale-colored.
- 4.7.4: Cramping and pain in muscles.
- 4.7.5: Breathing: Quick and shallow.
- 4.7.6: Pulse: Quick and weak.

4.8- First aid procedures in case of exposure to the heat stroke:

- 4.8.1: Transferring the infected person to a cold place and removal their external clothes.
- 4.8.2: Drinking excessive amounts of fluids, dehydration treatment solution or saline solution (Half a teaspoon of salt per half a liter of water).
- 4.8.3: Laying the infected person down on their back, with raising their feet at a higher level than their body.

9

Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

4.9- Sunstroke symptoms:

- 4.9.1: Adding heat insulation materials in building roofs at work sites.
- 4.9.2: Providing shaded work places.
- 4.9.3: Providing air-conditioned work places.
- 4.9.4: Using an exhaust ventilation system over the heat generating operations area.
- 4.9.5: Using ventilation cooling system with air blasting fans to increase the air flow.

10

Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

5- Appendixes

5.1- Heat Index

We recommend using the heat index to classify the work scopes as per the temperature and humidity of the workplace, and from these scopes we can determine the preventive measures to reduce the exposure to heat risks by applying a observing system for rising atmospheric temperatures conditions, controlling breaks, and choosing the coldest times of the day to conduct works.

The heat index consists of two parts: Atmospheric temperature and relative humidity.

The index indicates the actual temperature that the human body feels. When the index gives a high temperature, the risk of occupational injury and illness related to working in hot places increases.

Heat Index				
Risk degree	Heat index °C	Symptoms/illnesses of exposure to high temperature	Breaks	Need to water per hour
CAUTION	26-25	Possibility of developing fatigue upon the prolonged exposure or hard physical effort.	Scheduled usual position	4-6 cups*
EXTREME CAUTION	30-30	Possibility of muscle cramps, heat stroke, sunstroke upon the prolonged exposure or hard physical effort.	25% of working hours divided in equal breaks	4-6 cups*
DANGER	31-31	Heat probably of exposure to muscle cramps, heat stress, sunstroke upon the prolonged exposure or hard physical effort.	50% of working hours divided in equal breaks	4-6 cups*
EXTREME DANGER	52+	It is about to being exposure to a sunstroke	75% of working hours divided in equal breaks, and it is recommended that the work is suspended when the heat index reaches 36 and more.	4-6 cups*

*One cup = 250 ml

11

Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

5.2 Steps of adaption of workers exposed to working in hot places:

The adaption of workers to work in hot places is according to the percentages shown in the table below:

Workers adaption steps		
Day	Experiences workers	New workers
1	50%	20%
2	60%	40%
3	80%	60%
4	100%	80%
5	100%	100%

Heat Index المؤشر الحار	Relative Humidity الرطوبة الموثقة								
	10%	20%	30%	40%	50%	60%	70%	80%	90%
50	48	47	46	45	44	43	42	41	40
49	47	46	45	44	43	42	41	40	39
48	45	44	43	42	41	40	39	38	37
47	44	43	42	41	40	39	38	37	36
46	43	42	41	40	39	38	37	36	35
45	42	41	40	39	38	37	36	35	34
44	41	40	39	38	37	36	35	34	33
43	40	39	38	37	36	35	34	33	32
42	39	38	37	36	35	34	33	32	31
41	38	37	36	35	34	33	32	31	30
40	37	36	35	34	33	32	31	30	29
39	36	35	34	33	32	31	30	29	28
38	35	34	33	32	31	30	29	28	27
37	34	33	32	31	30	29	28	27	26
36	33	32	31	30	29	28	27	26	25
35	32	31	30	29	28	27	26	25	24
34	31	30	29	28	27	26	25	24	23
33	30	29	28	27	26	25	24	23	22
32	29	28	27	26	25	24	23	22	21
31	28	27	26	25	24	23	22	21	20
30	27	26	25	24	23	22	21	20	19
29	26	25	24	23	22	21	20	19	18
28	25	24	23	22	21	20	19	18	17
27	24	23	22	21	20	19	18	17	16
26	23	22	21	20	19	18	17	16	15

12

Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

5.3 Applying the worksite examination models:

Worksite Examination	Yes	No
Are rest seats available, and shaded in workplace?		
Are there posters reminding workers of the importance of drinking water?		
Is there communication means to inform workers of environmental conditions, such as flags?		
Is cold and potable water or other liquids available?		
In the event of availability of drinking water supply, are water containers tightly covered from the top, and is filling date stated on container?		
Are fruits and snacks available for workers during work performance for preservation of nutrients and calories?		
Are there posters reminding workers of injury or disease's symptoms and signs upon exposure to high temperature?		
Are there paramedics at worksite?		
Are emergency medical numbers available?		
Knowledge & Training	Yes	No
Do workers know injury or disease's symptoms and signs upon exposure to high temperature?		
Is there a trained first aid provider at worksite?		
Does the first aid provider have valid training certificates issued by approved centers?		
Does the first aid provider have a complete first aid kit, including tools suitable for worksite hazards?		
Is the first aid provider trained on treatment of cases of injury or disease's symptoms and signs upon exposure to high temperature?		
Does the first aid provider and work supervisor know the method to communicate with and direct medical emergency to worksite?		
Has a virtual scenario been performed in worksite for the process of treatment of cases of exposure to high temperature?		
Is there a mean to contact medical emergency at worksite?		
Worksite Procedures	Yes	No
Does worksite have environmental conditions and heat stress assessment processes?		
Are meals provided by employer? If yes,		
Are meals provided to workers appropriate and compatible with workites of high temperatures?		
Is TBT, toolbox talk applied prior to work commencement?		
Is noon work ban law issued by Ministry of Human Resources and Social Development applied at worksite?		

Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

5.4 Golden rules for preventing from the effects of exposure to sunlight and work in the hot place:



Drinking excessive amounts of fluids, especially water even if you are not thirsty every 15 to 20 minutes.



If you felt fatigue or dizziness, stop working immediately and inform other workers around you



Ask for help and do not carry out the work a lone



Wear light and bright-colored clothes



Try to work in shaded places



Make sure to take breaks in shaded places

Procedural Guidelines for Occupational Safety and Health
For preventing the Effects of Exposure to Direct Sun and Heat Stress 2021

6- References

Freedland, L. 1987. Safety-health and working conditions. Stockholm: Joint Industrial Safety Council.

HSE. 2013. Workplace health, safety and welfare. Sudbury, Suffolk: Health and Safety Executive.

HSE. 2021. HSE - Temperature: Outdoor working. [online] Hse.gov.uk. Available at: <https://www.hse.gov.uk/temperature/outdoor.htm> [Accessed 1 June 2021].

ILO. 2014. Physical Hazards - Heat in the Workplace. [ebook] ILO. Available at: <https://www.ilo.org/caribbean/projects/WCMS_250199/lang--en/index.htm> [Accessed 28 May 2021].

Kjellstrom, T, Maitre, N., Saget, C., Otto, M. and Karimova, T. 2019. Working on a warmer planet: The effect of heat stress on productivity and decent work. [ebook] ILO. Available at: <https://www.ilo.org/global/publications/books/WCMS_711919/lang--en/index.htm> [Accessed 29 May 2021].

Kjellstrom, T, Otto, M., Lemke, B., Hyatt, O., Briggs, D., Freyberg, C. and Lines, L. 2021. Climate Change and Labour: Impacts of Heat in the Workplace. [ebook] UNDP. Available at: <https://www.ilo.org/global/topics/green-jobs/publications/WCMS_476194/lang--en/index.htm> [Accessed 29 May 2021].

McDonald, O.F., Shanks, N.J. and Fragu, L. 2008. Heat stress improving safety in the Arabian Gulf oil and gas industry. Professional Safety, 53(08).


OSHA. 2021. Heat. [online] Occupational Safety and Health Administration. Available at: <https://www.osha.gov/heat-exposure> [Accessed 28 May 2021].

OSHA. 2021. Heat illness Prevention. [online] Occupational Safety and Health Administration. Available at: <https://www.osha.gov/heat/> [Accessed 28 May 2021].

OSHAD. 2016. Safety in the Heat. [online] Oshad.ae. Available at: <https://www.oshad.ae/Lists/OshadSystemDocument/Attachments/123/OSHAD-SF%20-%20TG%20-%20Safety%20in%20the%20Heat%20v3.0%20English.pdf> [Accessed 30 May 2021].


Safe Work Australia. 2021. Managing the risks of working in heat. [ebook] Safe Work Australia. Available at: <https://www.safeworkaustralia.gov.au/doc/guide-managing-risks-working-heat> [Accessed 28 May 2021].

Saudi Red Crescent Authority, 2014, The Guidance in First Aid, Prince Naif for First Aid Principles



Appendix C. Awareness Posters

HOW TO RECOGNIZE HEAT STRESS?



EXTREME CASES

- Red, hot, & dry skin
- Confusion or loss of consciousness
- Accelerated pulse
- Involuntary contraction of muscles

Customize heat stress awareness posters at EDIT.org

Heat Stroke FIRST AID


Heat Stroke is the most severe form of heat illness wherein the body overheats and can't cool down by sweating because of dehydration. It can cause death or permanent disability if emergency treatment is not provided.

SYMPTOMS

- Dizziness or fainting
- Hot and dry skin
- Very high core body temperature of 104°F (40°C) or more
- Lack of sweating
- Throbbing headache
- Behavioral changes such as confusion or disorientation
- Muscle weakness or cramps
- Nausea and vomiting
- Rapid heartbeat
- Rapid, shallow breathing
- Seizures
- Unconsciousness or coma

TREATMENT

- 1** Move the person to a shady spot or indoors.
- 2** Call emergency medical help. Continue to the next steps while waiting for professional help to arrive.
- 3** Have the person lie down with the feet elevated.
- 4** If still conscious, have him sip cool water.
- 5** Remove his clothing.
- 6** Cool the person by spraying with cool water.
- 7** Apply damp sheets / towels / sponges / ice packs to the armpits, wrists, ankles and groin.
- 8** Use fan to direct air onto the body.



BEAT THE HEAT

Water To Go

Take a bottle of cold water with you when you're out and about.




Avoid

Alcohol, tea, coffee and hot, spicy and salty foods can make dehydration worse, so think about avoiding them during hot weather.




Be Cool

Make use of fans or air-conditioners set to cool.



Rest

Make sure you get enough sleep and rest if you feel tired.



Dress Down

Wear lightweight, light coloured, loose-fitting clothes made from natural fibres, like cotton or linen.



Enjoy

Try eating more cold foods, like salads and fruits. They contain water and are more refreshing in hot weather than hot foods.




Soak

Take a cool shower or bath to help you cool down when you feel hot.




Shade

Wear a hat or take an umbrella with you for shade if you're outside on a hot day.







HEAT STRESS/STROKE FIRST AID



Move to a cool, shady area




HEAT STROKE CALL
SITE EMERGENCY CONTACT




Cool down entire body


Spray or shower with cold water




Use a fan or move to a room with air conditioning




Place cool wet towels or ice packs on neck, armpits and groin




Remove excess clothing



If conscious, give fluids (no caffeine or alcohol)




Lie down with feet elevated




DO NOT GIVE FLUIDS IF HEAT STROKE SUSPECTED

Are You Drinking Enough Water? Test yourself



Urine Specific Gravity (USG) is a measure of the concentration of the urine.

Heat Stress Prevention



Are you dehydrated?

Keep Drinking Water.